

# SAFETY DATA SHEET



## 1. Identification

|  |  |                |
|--|--|----------------|
| Product identifier                                     | FLOWER CHILD   |                |
| Other means of identification                          |  |                |
| Product code   | FlowerChild  |                |
| Recommended use  | Not available.   |                |
| Recommended restrictions                               | None known.  |                |
| Manufacturer/Importer/Supplier/Distributor information |  |                |
| Manufacturer   |  |                |
| Company name   | Rustic Escentuals                                      |                |
| Address  | 1050 Canaan Road<br>Roebuck, SC 29376<br>United States |                |
| Telephone  | Main   | 864-582-9335   |
|  | Toll free  | 864-582-9334   |
| Website  | RusticEscentuals.com                                   |                |
| E-mail   | TechSupport@RusticEscentuals.com                       |                |
| Emergency phone number                                 | Infotrac (US & Canada)                                 | 1-800-535-5053 |
|  | Infotrac (International)                               | 1-352-323-3500 |

## 2. Hazard(s) identification

|                       |  |             |
|-----------------------|--|-------------|
| Physical hazards      | Not classified.  |             |
| Health hazards        | Acute toxicity, oral                                   | Category 4  |
|                       | Acute toxicity, inhalation                             | Category 4  |
|                       | Skin corrosion/irritation                              | Category 2  |
|                       | Serious eye damage/eye irritation                      | Category 2B |
|                       | Sensitization, skin                                    | Category 1  |
|                       | Carcinogenicity  | Category 2  |
| Environmental hazards | Hazardous to the aquatic environment, acute hazard     | Category 1  |
|                       | Hazardous to the aquatic environment, long-term hazard | Category 2  |
| OSHA defined hazards  | Not classified.  |             |
| Label elements        |  |             |



|                         |  |
|-------------------------|--|
| Signal word             | Warning  |
| Hazard statement        | Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes eye irritation. Harmful if inhaled. Suspected of causing cancer. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.  |
| Precautionary statement |  |
| Prevention              | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. |

|   |   |
|---|---|
| Response                                  | If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Rinse mouth. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage. |
| Storage                                   | Store locked up.  |
| Disposal                                  | Dispose of contents/container in accordance with local/regional/national/international regulations.   |
| Hazard(s) not otherwise classified (HNOC) | None known.   |
| Supplemental information                  | 25.51% of the mixture consists of component(s) of unknown acute oral toxicity. 96.43% of the mixture consists of component(s) of unknown acute inhalation toxicity. 29.63% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 9.55% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.  |

### 3. Composition/information on ingredients

#### Mixtures

| Chemical name   | CAS number | %          |
|---|------------|------------|
| Benzyl benzoate   | 120-51-4   | 30 - < 40* |
| Bis (2-Ethylhexyl) Adipate  | 103-23-1   | 30 - < 40* |
| (1,7,7-Trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol                   | 68877-29-2 | 10 - < 20* |
| Linalyl acetate   | 115-95-7   | 3 - < 5*   |
| alpha-isoMethyl ionone  | 127-51-5   | 1 - < 3*   |
| Cedrene   | 11028-42-5 | 1 - < 3*   |
| Cyclodecane, (ethoxymethoxy)-   | 58567-11-6 | 1 - < 3*   |
| Diethyl phthalate   | 84-66-2    | 1 - < 3*   |
| dl-Citronellol  | 106-22-9   | 1 - < 3*   |
| Patchouli oil   | 8014-09-3  | 1 - < 3*   |
| Benzyl alcohol  | 100-51-6   | < 1*       |
| Coumarin  | 91-64-5    | < 1*       |
| Geraniol  | 106-24-1   | < 1*       |
| Vanillin  | 121-33-5   | < 1*       |
| 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran | 1222-05-5  | < 0.2*     |
| Benzophenone ..   | 119-61-9   | < 0.2*     |
| Benzyl acetate  | 140-11-4   | < 0.2*     |
| Hydroxycitronellal  | 107-75-5   | < 0.2*     |
| Diphenyl ether  | 101-84-8   | < 0.1*     |
| Other components below reportable levels                                  |            | 5 - < 10   |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

|              |   |
|--------------|---|
| Inhalation   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.                             |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse. |
| Eye contact  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.                       |
| Ingestion    | Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.   |

|  |   |
|--|---|
| Most important symptoms/effects, acute and delayed                     | Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.  |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.  |
| General information  | IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. |

## 5. Fire-fighting measures

|   |   |
|---|---|
| Suitable extinguishing media                                  | Powder. Foam. Carbon dioxide (CO2).   |
| Unsuitable extinguishing media                                | Do not use water jet as an extinguisher, as this will spread the fire.                        |
| Specific hazards arising from the chemical                    | During fire, gases hazardous to health may be formed.   |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire fighting equipment/instructions                          | Move containers from fire area if you can do so without risk.                                 |
| Specific methods  | Use standard firefighting procedures and consider the hazards of other involved materials.    |
| General fire hazards  | No unusual fire or explosion hazards noted.   |

## 6. Accidental release measures

|   |  |
|---|--|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.                             |
| Methods and materials for containment and cleaning up               | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.<br><br>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| Environmental precautions   | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.<br><br>Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.  |

## 7. Handling and storage

|  |  |
|--|--|
| Precautions for safe handling                                | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities | Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).   |

## 8. Exposure controls/personal protection

### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                    | Type | Value   | Form   |
|-------------------------------|------|---------|--------|
| Diphenyl ether (CAS 101-84-8) | PEL  | 7 mg/m3 | Vapor. |
|                               |      | 1 ppm   | Vapor. |

US. ACGIH Threshold Limit Values

| Components                      | Type | Value   | Form   |
|---------------------------------|------|---------|--------|
| Benzyl acetate (CAS 140-11-4)   | TWA  | 10 ppm  |        |
| Diethyl phthalate (CAS 84-66-2) | TWA  | 5 mg/m3 |        |
| Diphenyl ether (CAS 101-84-8)   | STEL | 2 ppm   | Vapor. |
|                                 | TWA  | 1 ppm   | Vapor. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components                      | Type | Value   | Form   |
|---------------------------------|------|---------|--------|
| Diethyl phthalate (CAS 84-66-2) | TWA  | 5 mg/m3 |        |
| Diphenyl ether (CAS 101-84-8)   | TWA  | 7 mg/m3 | Vapor. |
|                                 |      | 1 ppm   | Vapor. |

US. Workplace Environmental Exposure Level (WEEL) Guides

| Components                     | Type | Value      |
|--------------------------------|------|------------|
| Benzophenone .. (CAS 119-61-9) | TWA  | 0.5 mg/m3  |
| Benzyl alcohol (CAS 100-51-6)  | TWA  | 44.2 mg/m3 |
|                                |      | 10 ppm     |
| Vanillin (CAS 121-33-5)        | TWA  | 10 mg/m3   |

|   |  |
|---|--|
| Biological limit values   | No biological exposure limits noted for the ingredient(s).   |
| Appropriate engineering controls                                      | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. |
| Individual protection measures, such as personal protective equipment |  |
| Eye/face protection   | Chemical respirator with organic vapor cartridge and full facepiece.   |
| Skin protection   |  |
| Hand protection   | Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.  |
| Other   | Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.   |
| Respiratory protection  | Chemical respirator with organic vapor cartridge and full facepiece.   |
| Thermal hazards   | Wear appropriate thermal protective clothing, when necessary.  |
| General hygiene considerations  | Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.  |

9. Physical and chemical properties

|   |                                 |
|---|---------------------------------|
| Appearance                              | Near Colorless to Light Amber   |
| Physical state                          | Liquid.                         |
| Form                                    | Liquid.                         |
| Color                                   | Not available.                  |
| Odor                                    | Characteristic of Name          |
| Odor threshold                          | Not available.                  |
| pH                                      | Not available.                  |
| Melting point/freezing point            | -10.02 °F (-23.34 °C) estimated |
| Initial boiling point and boiling range | 613.4 °F (323 °C) estimated     |
| Flash point                             | > 212.0 °F (> 100.0 °C)         |
| Evaporation rate                        | Not available.                  |

|  |                                |
|--|--------------------------------|
| Flammability (solid, gas)                    | Not applicable.                |
| Upper/lower flammability or explosive limits |                                |
| Flammability limit - lower (%)               | Not available.                 |
| Flammability limit - upper (%)               | Not available.                 |
| Explosive limit - lower (%)                  | Not available.                 |
| Explosive limit - upper (%)                  | Not available.                 |
| Vapor pressure                               | 0.0001 hPa estimated           |
| Vapor density                                | Not available.                 |
| Relative density                             | Not available.                 |
| Solubility(ies)                              |                                |
| Solubility (water)                           | NO                             |
| Partition coefficient (n-octanol/water)      | Not available.                 |
| Auto-ignition temperature                    | 803.12 °F (428.4 °C) estimated |
| Decomposition temperature                    | Not available.                 |
| Viscosity                                    | Not available.                 |
| Other information                            |                                |
| Density                                      | 8.40 lbs/gal estimated         |
| Explosive properties                         | Not explosive.                 |
| Hydrocarbons percent                         | Not determined                 |
| Oxidizing properties                         | Not oxidizing.                 |
| Refractive index                             | 1.4931 - 1.4981                |
| Specific gravity                             | 0.97 - 1.01                    |
| VOC (Weight %)                               | Not determined                 |

## 10. Stability and reactivity

|                                    |   |
|------------------------------------|---|
| Reactivity                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability                 | Material is stable under normal conditions.   |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use.                                   |
| Conditions to avoid                | Avoid temperatures exceeding the flash point. Contact with incompatible materials.            |
| Incompatible materials             | Strong oxidizing agents.  |
| Hazardous decomposition products   | No hazardous decomposition products are known.  |

## 11. Toxicological information

|  |  |
|--|--|
| Information on likely routes of exposure                                     |  |
| Inhalation   | Harmful if inhaled.  |
| Skin contact   | Causes skin irritation. May cause an allergic skin reaction.   |
| Eye contact  | Causes eye irritation.   |
| Ingestion  | Harmful if swallowed.  |
| Symptoms related to the physical, chemical and toxicological characteristics | Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. |
| Information on toxicological effects   |  |
| Acute toxicity   | Harmful if inhaled. Harmful if swallowed. May cause an allergic skin reaction.   |
| Skin corrosion/irritation  | Causes skin irritation.  |
| Serious eye damage/eye irritation  | Causes eye irritation.   |
| Respiratory or skin sensitization  |  |
| Respiratory sensitization  | Not a respiratory sensitizer.  |

|  |  |
|--|--|
| Skin sensitization   | May cause an allergic skin reaction.   |
| Germ cell mutagenicity   | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity  | Suspected of causing cancer.   |
| IARC Monographs. Overall Evaluation of Carcinogenicity         |  |
| Benzophenone .. (CAS 119-61-9)                                 | 2B Possibly carcinogenic to humans.  |
| Benzyl acetate (CAS 140-11-4)                                  | 3 Not classifiable as to carcinogenicity to humans.  |
| Bis (2-Ethylhexyl) Adipate (CAS 103-23-1)                      | 3 Not classifiable as to carcinogenicity to humans.  |
| Coumarin (CAS 91-64-5)   | 3 Not classifiable as to carcinogenicity to humans.  |
| OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) |  |
| Not listed.  |  |
| Reproductive toxicity  | This product is not expected to cause reproductive or developmental effects.                                     |
| Specific target organ toxicity - single exposure               | Not classified.  |
| Specific target organ toxicity - repeated exposure             | Not classified.  |
| Aspiration hazard  | Not an aspiration hazard.  |
| Chronic effects  | Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.                               |

## 12. Ecological information

Ecotoxicity Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

| Components                        | Species  | Test Results             |
|-----------------------------------|--|--------------------------|
| Diphenyl ether (CAS 101-84-8)     |  |                          |
| Aquatic                           |  |                          |
| Fish                              | LC50 Sheepshead minnow (Cyprinodon variegatus) | 1.8 - 3.2 mg/l, 96 hours |
| Hydroxycitronellal (CAS 107-75-5) |  |                          |

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

|   |      |
|---|------|
| Partition coefficient n-octanol / water (log Kow) |      |
| Benzyl acetate                                    | 1.96 |
| Benzyl alcohol                                    | 1.1  |
| Benzyl benzoate                                   | 3.97 |
| Coumarin  | 1.39 |
| Diethyl phthalate                                 | 2.47 |
| Diphenyl ether                                    | 4.21 |
| Vanillin  | 1.37 |

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

|                                       |  |
|---------------------------------------|--|
| Disposal instructions                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Local disposal regulations            | Dispose in accordance with all applicable regulations.   |
| Hazardous waste code                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.   |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).   |
| Contaminated packaging                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.   |

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

|                              |   |
|------------------------------|---|
| UN number                    | UN3082  |
| UN proper shipping name      | Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate)   |
| Transport hazard class(es)   |   |
| Class                        | 9   |
| Subsidiary risk              | -   |
| Packing group                | III   |
| Environmental hazards        | Yes   |
| ERG Code                     | 9L  |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Other information            |   |
| Passenger and cargo aircraft | Allowed.  |
| Cargo aircraft only          | Allowed.  |


### IMDG

|  |   |
|--|---|
| UN number  | UN3082  |
| UN proper shipping name  | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)   |
| Transport hazard class(es)   |   |
| Class  | 9   |
| Subsidiary risk  | -   |
| Packing group  | III   |
| Environmental hazards  |   |
| Marine pollutant   | Yes   |
| EmS  | F-A, S-F  |
| Special precautions for user   | Read safety instructions, SDS and emergency procedures before handling. |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not established.  |

IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

## 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Benzophenone .. (CAS 119-61-9)

0.1 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

Diethyl phthalate (CAS 84-66-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)  
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)  
Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Benzophenone .. (CAS 119-61-9)  
Bis (2-Ethylhexyl) Adipate (CAS 103-23-1)  
Diethyl phthalate (CAS 84-66-2)

US. Massachusetts RTK - Substance List

Benzyl alcohol (CAS 100-51-6)  
Bis (2-Ethylhexyl) Adipate (CAS 103-23-1)  
Diethyl phthalate (CAS 84-66-2)  
Diphenyl ether (CAS 101-84-8)

US. New Jersey Worker and Community Right-to-Know Act

Benzyl acetate (CAS 140-11-4)  
Bis (2-Ethylhexyl) Adipate (CAS 103-23-1)  
Diethyl phthalate (CAS 84-66-2)  
Diphenyl ether (CAS 101-84-8)

US. Pennsylvania Worker and Community Right-to-Know Law

Benzyl alcohol (CAS 100-51-6)  
Bis (2-Ethylhexyl) Adipate (CAS 103-23-1)  
Diethyl phthalate (CAS 84-66-2)  
Diphenyl ether (CAS 101-84-8)

US. Rhode Island RTK

Diethyl phthalate (CAS 84-66-2)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Benzophenone .. (CAS 119-61-9) Listed: June 22, 2012

International Inventories

| Country(s) or region | Inventory name                                     | On inventory or exempt (yes/no)* |
|----------------------|--|----------------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS) | Yes                              |




| Country(s) or region        | Inventory name   | On inventory or exempt (yes/no)* |
|-----------------------------|--|----------------------------------|
| Canada                      | Domestic Substances List (DSL)   | Yes                              |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                               |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                              |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                              |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                              |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                              |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

|               |  |
|---------------|--|
| Issue date    | 07-15-2016   |
| Version #     | 01   |
| HMIS® ratings | Health: 2<br>Flammability: 0<br>Physical hazard: 0<br>Personal protection: B |
| NFPA ratings  | Health: 2<br>Flammability: 0<br>Instability: 0                               |

NFPA ratings



Disclaimer

Rustic Escentuals cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.