

Safety Data Sheet

Revision Date: 09-11-15

I. IDENTIFICATION

Product identification used on label

Product Name: FRAGRANT ROOM & BODY SPRAY

Recommended Use of the Chemical and restrictions on use: Fragrance

Company: RUSTIC ESSENTUALS, LLC
1050 CANAAN RD
ROEBUCK, SC 29376

Emergency Phone Number: EMERGENCY PHONE: (800) 535-5053
INFORMATION PHONE: 864-582-9335
INFORMATION FAX: 864-582-9334
IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

II. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS
Hazard
Symbols:



GHS Classification: Flammable Liquid Category 2; Serious Eye Damage/Eye Irritation Category 2A

GHS Signal Word: Danger

GHS Hazard: Highly flammable liquid and vapour.; Causes serious eye irritation.

GHS Precautions:

Safety Precautions: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures (Response): IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use extinguishing media listed in Section 5 of the SDS to extinguish.

Storage: Keep container tightly closed. Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

III. COMPOSITION/INFORMATION ON INGREDIENTS

Safety Data Sheet

Revision Date: 09-11-15

Chemical Name	CAS #	%
Ethanol	64-17-5	40 - 70

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

IV. FIRST-AID MEASURES

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eyes:	Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this MSDS.
Most important symptoms and effects - acute	No Data Available
Most important symptoms and effects - chronic	No Data Available
Notes to Doctor:	No additional first aid information available

V. FIRE FIGHTING MEASURES

Flammability Summary:	Highly Flammable
Extinguishing Media:	Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing agents. Water may be ineffective but water spray can be used to extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being damaged by fire.
Extinguishing Media advised against:	No Data Available
Fire and/or Explosion Hazards:	Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Flammable Liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Container may explode in heat of fire.
Fire Fighting Methods and Protection:	Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water

Safety Data Sheet

Revision Date: 09-11-15

Hazardous Combustion Products: and burn while floating on the surface.
Carbon dioxide, Carbon monoxide

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment: No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation.

Methods for Clean-up: No special spill clean-up considerations. Collect and discard in regular trash. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area.

VII. HANDLING AND STORAGE

Handling Technical Measures and Precautions: Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling. Do not get in eyes, on skin and clothing. Ground and bond containers when transferring material. Keep in air-tight containers- material is hygroscopic. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous.

Storage Technical Measures and Conditions: Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Keep away from sources of ignition. Store in a tightly closed container. Do not store near combustible materials.

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures: No exposure limits exist for the constituents of this product. General room ventilation might be required to maintain operator comfort under normal conditions of use. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Facilities storing or using this material should be equipped with an eyewash and safety shower.

Respiratory Protection: No respiratory protection required under normal conditions of use. Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section III. A respirator is not normally required. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Respiratory protection may be required in addition to ventilation depending upon conditions of use.

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses. Wear goggles and a Face shield

Skin Protection: Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating,

Safety Data Sheet

Revision Date: 09-11-15

Gloves:

drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield
No information available

Handling Instructions:

As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material Keep in air-tight containers- material is hygroscopic. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous.

Control Parameters:

Chemical Name

Ethanol

ACGIH TLV-TWA

1000 ppm TWA; 1880 mg/m3 TWA

ACGIH STEL

OSHA PEL

1000 ppm TWA; 1900 mg/m3 TWA

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Clear
Odor:	Comparable to Standard
Odor Threshold:	ND
pH:	Not Available
Flash Point:	55 ° F
Evaporation Rate:	Not Available
Flammability (Solid, Gas):	No Data Available
Upper Flammable/Explosive Limit:	Not Available
Lower Flammable/Explosive Limit:	Not Available
Vapor Density:	> 1
Relative Density (Specific Gravity):	0.8701
Solubility in Water:	Soluble in Water-Yes
Octanol/Water Partition Coefficient:	-0.3
Volatiles, % by weight:	69.52
Bulk Density:	7.26

X. STABILITY AND REACTIVITY

Reactivity:	No Data Available
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	No Data Available
Conditions to Avoid:	Sparks, open flame, other ignition sources, and elevated temperatures. Contamination Elevated temperatures
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents
Hazardous Decomposition Products:	Carbon dioxide Carbon monoxide

XI. TOXICOLOGICAL INFORMATION

Routes of Entry:	Skin contact, Eye contact
Most Important	No Data Available
Symptoms:	
Chemical Interactions That Change Toxicity:	None Known

Safety Data Sheet

Revision Date: 09-11-15

Immediate (Acute) Health Effects by Route of Exposure:

- Inhalation Irritation:** Can cause respiratory irritation.
Skin Contact: Can cause minor skin irritation.
Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.
Ingestion Irritation: Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort.
Ingestion Toxicity:

Long-Term (Chronic) Health Effects:

- Carcinogenicity:** None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.
Reproductive toxicity: No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Germ cell mutagenicity: No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Inhalation: Upon prolonged and/or repeated exposure, can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache.
Skin Contact: Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.

Component Toxicology Data:

Chemical Name	CAS Number	LD50/LC50
No data available		

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

XII. ECOLOGICAL INFORMATION

Overview: This material is not expected to be harmful to the ecology.
Mobility in Soil: No Data Available
Persistence: No Data Available
Bioaccumulation: No Data Available
Other adverse effects No Data Available

Ecotoxicity Data

Chemical Name	CAS Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available				

XIII. DISPOSAL CONSIDERATIONS

Waste Description for Spent Product: Spent or discarded material is a hazardous waste.

Safety Data Sheet

Revision Date: 09-11-15

Waste Description for Empty Packaging: No Data Available

Disposal Methods: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.

Waste Disposal Code(s): D001

XIV. TRANSPORTATION INFORMATION

US DOT Ground Shipping Description: UN1266, PERFUMERY PRODUCT, 3, PGII
IATA Shipping Description: UN 1266, PERFUMERY PRODUCT, 3, PGII
IMDG Shipping Description: UN1266, PERFUMERY PRODUCT, 3, PGII

XV. REGULATORY INFORMATION

TSCA Status All components in this product are on the TSCA Inventory.
California Prop 65 Contains chemicals listed on California Proposition 65, see below.

Chemical Name	CAS #	Regulation	% Range
Diphenyl ketone	119-61-9	California Prop 65 Cancer	0.1 - 1
No 313-listed chemicals in this product		SARA 313	

XVI. OTHER INFORMATION

Revision Date: 09-11-2015
Disclaimer: Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and

Safety Data Sheet

Revision Date: 09-11-15

information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.