



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Fruit Loops**
SKU#: **FruitLoopKY**

Page 1 of 9

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Fruit Loops

Product/Sales No: FruitLoopKY

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Rustic Escentuals
1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
<http://www.rusticescentuals.com>

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

| | |
|---|---|
| Flammable Liquids, Category 3 | H226: Flammable liquid and vapour |
| Acute Toxicity Oral, Category 4 | H302: Harmful if swallowed |
| Acute Toxicity Dermal, Category 5 | H304: May be fatal if swallowed and enters airways |
| Skin Corrosion/Irritation, Category 2 | H313: May be harmful in contact with skin |
| Sensitization, Skin, Category 1A | H315: Causes skin irritation |
| Eye Damage/Eye Irritation, Category 2A | H317: May cause an allergic skin reaction |
| Acute Toxicity Inhalation, Category 1 | H319: Causes serious eye irritation |
| Target Organ Systemic Toxicity - Single Exposure, Category 3-RI | H332: Harmful if inhaled |
| Aquatic Acute Toxicity, Category 1 | H335: May cause respiratory irritation |
| Aquatic Chronic Toxicity, Category 2 | H400: Toxic to aquatic life |
| | H411: Harmful to aquatic life with long lasting effects |

Classification OSHA (Provisions 1910.1200 of title 29)

| | |
|---------------------------------|---|
| Flammability | Class II Flammable Liquid |
| Acute Dermal/Eye | 12 : Causes moderate skin irritation. 16 : Causes eye irritation. |
| Acute Inhalation | 9 : Harmful if absorbed through the skin. 24 : Causes respiratory tract irritation. 25 : Inhalation at high levels may cause: difficulty in breathing, tremors, labored breathing, hypothermia, lethargy, ataxia. |
| Acute Oral | 2 : Harmful if swallowed |
| Genotoxicity | 36 : Suspected of causing genetic defects |
| Reproductive/Developmental | 39 : Causes reproductive/developmental toxicity in animals. |
| Sensitization/Allergic Response | 31 : May cause allergic skin reaction. |

Target Organ Effects

26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen, thymus gland, blood, stomach, testes, brain, bile duct, tongue, mucous membranes, musculo-skeletal system.


Carcinogenicity

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Danger

Hazard statements

| | |
|------|--|
| H226 | Flammable liquid and vapour |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways. |
| H313 | May be harmful in contact with skin |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Fruit Loops**
SKU#: **FruitLoopKY**

Page 3 of 9

Precautionary Statements

| | |
|----------------|---|
| P210 | Keep away from heat, sparks, open flames and hot surfaces. - No smoking. |
| P233 | Keep container tightly closed |
| P235 | Keep cool |
| P240 | Ground/bond container and receiving equipment |
| P241 | Use explosion-proof electrical/ventilating/light/.../equipment |
| P242 | Use only non-sparking tools |
| P243 | Take precautionary measures against static discharge |
| P261 | Avoid breathing vapor or dust. |
| P264 | Wash hands and other contacted skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product |
| P271 | Use only outdoors or in a well-ventilated area |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment |
| P280 | Wear protective gloves/eye protection/face protection. |
| P301/310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P303/P361/P353 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower |
| P304/P312/P340 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell Remove victim to fresh air and keep at rest in a position comfortable for breathing |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P305/P351/P338 | IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell |
| P331 | Do not induce vomiting. |
| P333/P313 | If skin irritation or a rash occurs: Get medical advice/attention |
| P337/P313 | If eye irritation persists: Get medical advice/attention |
| P340 | Remove victim to fresh air and keep at rest in a position comfortable for breathing |
| P352 | Wash with soap and water |
| P362 | Take off contaminated clothing and wash before reuse. |
| P370 + P378 | In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material |
| P391 | Collect spillage. |
| P403/235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. |



1050 Canaan Road
 Roebuck, SC 29376 USA
 P:864-582-9335 F:864-582-9334
 www.RusticEscentuals.com

Safety Data Sheet

Product: **Fruit Loops**
 SKU#: **FruitLoopKY**

2.3 Other Hazards

16.2% of the mixture consists of component(s) of unknown acute oral toxicity. 98.98% of the mixture consists of component(s) of unknown acute inhalation toxicity. 12.83% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 13.74% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| Ingredient | CAS# | EC# | % | GHS Classification | OSHA Classification |
|--|------------|-----------|----------|---|---------------------------------------|
| Benzaldehyde | 100-52-7 | 202-860-4 | 40-50% | H227; H302; H316; H319; H332; H335; H401 | 10, 11, 15, 23, 25, 26, 3, 31, 36, 39 |
| Benzyl benzoate | 120-51-4 | 204-402-9 | 70-<80% | ATO 4-ATD 5-EH A1-EH C2;H302-H313- H400-H411 | 28, 3 |
| Diethyl phthalate | 84-66-2 | 201-550-6 | 20-<50% | SCI 3-EH A3;H316-H402 | |
| Methyl ester of rosin (partially hydrogenated) | 8050-15-5 | 232-476-2 | 10-20% | EH A3-EH C3;H402; H412 | 31 |
| Ethyl vanillin | 121-32-4 | 204-464-7 | 10-<20% | ATO 5-EDI 2B-EH A3;H303-H320-H402 | |
| d-Limonene | 5989-27-5 | 227-813-5 | 5-<10% | FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1; H226-H304-H315-H317-H410 | |
| Amyl Acetate | 628-63-7 | 211-047-3 | 5-10% | H226 | |
| p-Tolualdehyde | 104-87-0 | 203-246-9 | 2-5% | H227; H302; H316; H319 | |
| Ethyl butyrate | 105-54-4 | 203-306-4 | 2-5% | H226; H401 | 11 |
| Coumarin | 91-64-5 | 202-086-7 | 2-5% | ATO 4-SS 1B-EH A3;H302-H317-H402 | 12, 15, 2, 26, 31, 9 |
| Acetophenone | 98-86-2 | 202-708-7 | 2-5% | H302; H319 | 11, 15, 24 |
| Cinnamaldehyde | 104-55-2 | 203-213-9 | 1-<5% | ATO 5-ATD 4-SCI 2-EDI 2A-SS 1A-EH A2;H303-H312-H315-H317-H319-H401 | 10, 12, 16, 26, 31, 36 |
| Piperonal | 120-57-0 | 204-409-7 | 1-<5% | ATO 5-SS 1B-EH A2;H303-H317-H401 | |
| Vanillin | 121-33-5 | 204-465-2 | 5-<10% | ATO 5-EDI 2A-EH A3;H303-H319-H402 | |
| beta-Pinene | 127-91-3 | 204-872-5 | 1-<5% | FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1; H226-H304-H315-H317-H410 | |
| Citral | 5392-40-5 | 226-394-6 | 1-<5% | ATD 5-SCI 2-EDI 2A-SS 1B-EH A2; H313-H315-H317-H319-H401 | |
| alpha-Terpineol | 98-55-5 | 202-680-6 | 1-<5% | FL 4-ATO 5-SCI 2-EDI 2A-EH A2;H227- H303-H315-H319-H401 | |
| 2-t-Butylcyclohexyl acetate | 88-41-5 | 201-828-7 | 1-2% | H227; H303; H316; H401; H411 | 12, 2 |
| 3,7-Dimethyl-1,6-nonadien-3-ol | 10339-55-6 | 233-732-6 | 0.1-<1% | FL 4-SCI 2-EDI 2A-EH A3;H227-H315- H319-H402 | |
| Geranyl acetate | 105-87-3 | 203-341-5 | 1-<3% | SCI 2-SS 1B-EH A2-EH C3;H315-H317- H401-H412 | |
| dl-Citronellol | 106-22-9 | 203-375-0 | 0.1-<1% | ATO 5-ATD 5-SCI 2-EDI 2A-SS 1B-EH A2;H303-H313-H315-H317-H319-H401 | |
| Citronellal | 106-23-0 | 203-376-6 | 0.1-<1% | FL 4-ATO 5-ATD 5-SCI 2-EDI 2A-SS 1B-EH A2;H227-H303-H313-H315-H317-H319-H401 | |
| Geraniol | 106-24-1 | 203-377-1 | 0.1-<1% | ATO 5-SCI 2-EDI 1-SS 1-EH A3;H303- H315-H317-H318-H402 | |
| Linalyl acetate | 115-95-7 | 204-116-4 | 1 -< 3% | FL 4-SCI 2-EDI 2A-EH A3;H227-H315- H319-H402 | |
| Myrcene | 123-35-3 | 204-622-5 | 0.1-<1% | FL 3-SCI 2-EDI 2A-AH 1;H226-H304- H315-H319 | |
| alpha-iso-Methylionone | 127-51-5 | 204-846-3 | 0.1-<1% | SCI 2-EDI 2B-SS 1B-EH A2-EH C2; H315-H317-H320-H411 | |
| Butylated hydroxytoluene | 128-37-0 | 204-881-4 | 0.1-<1% | EH A1-EH C1;H410 | |
| dl-Limonene (racemic) | 138-86-3 | 205-341-0 | 0.1-<1% | FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1; H226-H304-H315-H317-H410 | |
| Citronellyl acetate | 150-84-5 | 205-775-0 | 0.1-<1% | SCI 2-EH A2-EH C2;H315-H411 | |
| Terpinolene | 586-62-9 | 209-578-0 | 0.1-<1% | FL 4-ATO 5-SCI 3-SS 1B-AH 1-EH A1-EH C1;H227-H303-H304-H316-H317-H410 | |
| Linalool | 78-70-6 | 201-134-4 | 1 -< 3% | FL 4-ATO 5-SCI 2-EDI 2A-EH A3;H227- H303-H315-H319-H402 | |
| alpha-Pinene | 80-56-8 | 201-291-9 | 0.1-<1% | FL 3-ATO 5-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H303-H304-H315-H317-H410 | |
| Musk ketone | 81-14-1 | 201-328-9 | 0.1-<1% | SCI 3-CAR 2-EH A1-EH C1;H316-H351- H410 | |
| p-Mentha-1,4-diene | 99-85-4 | 202-794-6 | 0.1-<1% | FL 3-ATO 5-SCI 3-AH 1;H226-H303- H304-H316 | |
| Benzyl acetate | 140-11-4 | 205-399-7 | 0.1-1.0% | H303; H316; H401; H412 | 15, 25, 26, 31, 39 |
| Ethyl methylphenylglycidate | 77-83-8 | 201-061-8 | 5 -< 10% | H317; H401; H411 | 11, 15 |
| Butylated hydroxytoluene | 128-37-0 | 204-881-4 | 21% | | |
| Diethyl phthalate | 84-66-2 | 201-550-6 | 24.09% | | |
| alpha-Cedrene | 469-61-4 | 207-418-4 | <0.1% | SCI 3-AH 1-EH A1-EH C1;H304-H316- H410 | |
| l-beta-Bisabolene | 495-61-4 | | <0.1% | SCI 2-SS 1B-AH 1;H304-H315-H317 | |
| l-Limonene | 5989-54-8 | 227-815-6 | <0.1% | FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1; H226-H304-H315-H317-H410 | |
| beta-Caryophyllene | 87-44-5 | 201-746-1 | <0.1% | SCI 3-AH 1;H304-H316 | |
| alpha-Phellandrene | 99-83-2 | 202-792-5 | <0.1% | FL 3-SCI 3-AH 1;H226-H304-H316 | |
| p-Mentha-1,3-diene | 99-86-5 | 202-795-1 | <0.1% | FL 3-ATO 4-SCI 3-AH 1-EH A2-EH C2; H226-H302-H304-H316-H411 | |
| p-Cymene | 99-87-6 | 202-796-7 | <0.1% | FL 3-ATO 5-SCI 3-AH 1-EH A2-EH C2; H226-H303-H304-H316-H411 | |
| C11-15-Isoalkanes | 90622-58-5 | 292-460-6 | 1-<5% | FL 4-AH 1;H227-H304 | |
| Ethyl maltol | 4940-11-8 | 225-582-5 | 1-<5% | ATO 4;H302 | |
| 3-Methylcyclopentane-1,2-dione | 765-70-8 | 212-154-8 | 1-<5% | ATO 5;H303 | |
| Acetyl propionyl | 600-14-6 | 209-984-8 | 0.1-<1% | FL 2-ATO 5-ATD 5-SCI 3-EDI 1-SS 1B- STO-RE 2-EH A3;H225-H303-H313- H316-H317-H318-H373-H402 | |
| Guaiyl acetate | 134-28-1 | 205-135-0 | 0.1-<1% | SCI 2-EDI 2A;H315-H319 | |
| Isobornyl acetate | 125-12-2 | | 3 -< 5 | | |
| Orange terpenes | 68647-72-3 | | 3 -< 5 | | |
| Fir needle oil, Siberian | 8021-29-2 | | <1% | | |
| Grapefruit oil | 8016-20-4 | | <1% | | |
| Nerolidol | 7212-44-4 | | <1% | | |
| Allyl hexanoate | 123-68-2 | | < 0.3 | | |
| Camphene | 79-92-5 | | < 0.3 | | |
| Mandarin oil | 8008-31-9 | | < 0.3 | | |
| 2,4-Dimethyl-3-cyclohexen-1-carbo xaldehyde | 68039-49-6 | | < 0.2 | | |
| Thyme oil, white | 8007-46-3 | | < 0.2 | | |
| Methyl cinnamate | 103-26-4 | 203-093-8 | 1-<5% | ATO 5-SS 1B;H303-H317 | |
| 4-(p-Hydroxyphenyl)-2-butanone | 5471-51-2 | 226-806-4 | 1-<5% | ATO 4-EH A3;H302-H402 | |
| gamma-Decalactone | 706-14-9 | 211-892-8 | 1-<5% | SCI 3;H316 | |
| Ethyl isovalerate | 108-64-5 | 203-602-3 | 0.1-<1% | FL 3-SCI 2;H226-H315 | |
| Butyric acid | 107-92-6 | 203-532-3 | 0.1-<1% | FL 4-ATO 4-SCI 1B-EDI 1-EH A3;H227- H302-H314-H402 | |
| Hexanoic acid | 142-62-1 | 205-550-7 | 0.1-<1% | ATO 5-SCI 1C-EDI 1-EH A3;H303-H314- H402 | |

See Section 16 for full text of GHS classification codes



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Fruit Loops**
SKU#: **FruitLoopKY**

Page 5 of 9

Total Hydrocarbon Content (% w/w) = 0.00

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam

Unsuitable: Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



1050 Canaan Road
 Roebuck, SC 29376 USA
 P:864-582-9335 F:864-582-9334
 www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Fruit Loops**
 SKU#: **FruitLoopKY**

Page 6 of 9

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

| Ingredient | CAS | EC | Description | ACGIH TWA ppm | ACGIH STEL ppm | OSHA TWA ppm | OSHA STEL ppm |
|--------------------------|-----------|-----------|--|---------------|----------------|--------------|---------------|
| Butylated hydroxytoluene | 128-37-0 | 204-881-4 | Long-term exposure limit (8-hour TWA reference period). Short-term exposure limit (15-minute reference period). | | | | |
| Diethyl phthalate | 84-66-2 | 201-550-6 | Long-term exposure limit (8-hour TWA reference period). Short-term exposure limit (15-minute reference period). | | | | |
| Amyl Acetate | 628-63-7 | | | 50 | 100 | 100 | |
| Acetophenone | 98-86-2 | | | 10 | | | |
| Benzyl acetate | 140-11-4 | | | 10 | | | |
| Citral | 5392-40-5 | | Inhalable fraction and vapor. | 5 | | | |

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard
Odor: Conforms to Standard
Color: Colorless to Pale Yellow
Viscosity: Liquid
Freezing Point: Not determined
Boiling Point: Not determined
Melting Point: Not determined
Flashpoint (CCCFP): 63 F
Auto flammability: Not determined
Explosive Properties: None Expected
Oxidizing properties: None Expected
Vapor Pressure (mmHg@20 C): 1.3501
%VOC: 68.66
Specific Gravity @ 25 C: 1.0155



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Fruit Loops**
SKU#: **FruitLoopKY**

Page 7 of 9

Density @ 25 C: 1.0125
Refractive Index @ 20 C: 1.5135
Soluble in: Not determined

10. Stability and Reactivity

10.1 Reactivity None
10.2 Chemical stability Stable
10.3 Possibility of hazardous reactions None known
10.4 Conditions to avoid Avoid extreme heat
10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1,620.75) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2,280.24) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 14.31) Harmful if inhaled
Skin corrosion / irritation Causes skin irritation
Serious eye damage / irritation Causes serious eye irritation
Respiratory sensitization Not classified - the classification criteria are not met
Skin sensitization May cause an allergic skin reaction
Germ cell mutagenicity Not classified - the classification criteria are not met
Carcinogenicity Not classified - the classification criteria are not met
Reproductive toxicity Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure May cause respiratory irritation
Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met
Aspiration hazard Not classified - the classification criteria are not met

Information about hazardous ingredients in the mixture

| Ingredient | CAS | EC | LD50/ATE Oral | LD50/ATE Dermal | LC50/ATE Inhalation | LC50 Route |
|---------------------|-----------|-----------|---------------|-----------------|---------------------|---------------|
| Benzyl benzoate | 120-51-4 | 204-402-9 | 1500 | 4000 | Not available | Not available |
| Cinnamaldehyde | 104-55-2 | 203-213-9 | 2500 | 1100 | Not available | Not available |
| Ethyl maltol | 4940-11-8 | 225-582-5 | 1200 | Not available | Not available | Not available |
| 4-(p-Hydroxyphenyl) | 5471-51-2 | 226-806-4 | 1400 | Not available | Not available | Not available |



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Fruit Loops**
SKU#: **FruitLoopKY**

Page 8 of 9

12. Ecological Information

12.1 Toxicity

| | |
|---|---|
| Acute aquatic toxicity | Toxic to aquatic life |
| Chronic aquatic toxicity | Harmful to aquatic life with long lasting effects |
| Toxicity Data on soil | no data available |
| Toxicity on other organisms | no data available |
| 12.2 Persistence and degradability | no data available |
| 12.3 Bioaccumulative potential | no data available |
| 12.4 Mobility in soil | no data available |
| 12.5 Other adverse effects | no data available |

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

| Regulator | Class | Pack Group | Sub Risk | UN-nr. |
|---|-------------------------------------|------------|------------------|--------|
| U.S. DOT (Non-Bulk) Chemicals NOI | Not Regulated - Not Dangerous Goods | | | |
| ADR/RID (International Road/Rail) Chemicals NOI | | | | |
| IATA (Air Cargo) Perfumery Products | 3 | III | Flammable Liquid | UN1266 |
| IMDG (Sea) Perfumery Products | 3 | III | Flammable Liquid | UN1266 |

15. Regulatory Information

U.S. Federal Regulations:

| | |
|--|--|
| TSCA (Toxic Substance Control Act): | All components of the substance/mixture are listed or exempt |
| 40 CFR(EPCRA, SARA, CERCLA and CAA) | This product contains the following components: |
| 98-86-2 202-708-7 2 - 5 % | Acetophenone |
| 628-63-7 211-047-3 5 - 10 % | Amyl Acetate |

U.S. State Regulations:

California Proposition 65 Warning No Warning required

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Fruit Loops**
SKU#: **FruitLoopKY**

Page 9 of 9

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

| | |
|---|--|
| (TFV) Risk | (TFV) Risk |
| (5.73) Skin Corrosion/Irritation, Category 3 | (5.00) Sensitization, Skin, Category 1A |
| (5.76) Eye Damage/Eye Irritation, Category 2A | (2.48) Target Organ Systemic Toxicity - Single Exposure, Category 3-RI |
| (4.26) Aquatic Acute Toxicity, Category 2 | (3.96) Aquatic Chronic Toxicity, Category 3 |

Department issuing data sheet: Technical Support
Department E-mail address: TechSupport@RusticEscentuals.com

Remarks

This safety data sheet is based on the properties of the material known to Rustic Escentuals at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Rustic Escentuals holds no responsibility. This document is not intended for quality assurance purposes.