

SAFETY DATA SHEET



1. Identification

Product identifier	Grandmother's Toddy	
Other means of identification		
Product code	GrandToddyKY	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	Rustic Escentuals	
Address	1050 Canaan Road Roebuck, SC 29376 United States	
Telephone	Main	864-582-9335
	Toll free	864-582-9334
Website	RusticEscentuals.com	
E-mail	TechSupport@RusticEscentuals.com	
Emergency phone number	Infotrac (US & Canada)	1-800-535-5053
	Infotrac (International)	1-352-323-3500

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, inhalation	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1A
	Carcinogenicity	Category 1A
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause cancer. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves/protective clothing/eye protection/face protection.

Response	If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Rinse mouth. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	6.84% of the mixture consists of component(s) of unknown acute oral toxicity. 53.36% of the mixture consists of component(s) of unknown acute inhalation toxicity. 10.91% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 22.28% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Benzyl benzoate	120-51-4	20 - < 30*
Diethyl phthalate	84-66-2	20 - < 30*
Cinnamaldehyde	104-55-2	10 - < 20*
Ethyl vanillin	121-32-4	5 - < 10*
Coumarin	91-64-5	3 - < 5*
Piperonal	120-57-0	3 - < 5*
Vanillin	121-33-5	3 - < 5*
2-tert-Butylcyclohexyl acetate	88-41-5	1 - < 3*
Benzyl alcohol	100-51-6	1 - < 3*
Cinnamyl alcohol	104-54-1	< 1*
4-tert-Butyl cyclohexyl acetate	32210-23-4	< 0.3*
alpha-Methylcinnamaldehyde	101-39-3	< 0.3*
Benzyl cinnamate	103-41-3	< 0.3*
Eugenol	97-53-0	< 0.3*
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran	1222-05-5	< 0.2*
Cinnamon leaf oil ..	8015-91-6	< 0.2*
Clove bud oil	8000-34-8	< 0.2*
Acetic acid	64-19-7	< 0.1*
alpha-Pinene	80-56-8	< 0.1*
Benzaldehyde	100-52-7	< 0.1*
beta-Pinene	127-91-3	< 0.1*
Citral	5392-40-5	< 0.1*
Denatured alcohol SD-39c	64-17-5	< 0.1*
Diacetyl	431-03-8	< 0.1*
Dimethyl sulfide	75-18-3	< 0.1*
Ethyl acetate	141-78-6	< 0.1*
Pentyl acetate	628-63-7	< 0.1*
Other components below reportable levels		5 - < 10

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Dizziness. Headache. Nausea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Powder. Alcohol resistant foam. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Acetic acid (CAS 64-19-7)	PEL	25 mg/m3 10 ppm
Denatured alcohol SD-39c (CAS 64-17-5)	PEL	1900 mg/m3 1000 ppm
Ethyl acetate (CAS 141-78-6)	PEL	1400 mg/m3 400 ppm
Pentyl acetate (CAS 628-63-7)	PEL	525 mg/m3 100 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Acetic acid (CAS 64-19-7)	STEL	15 ppm	
	TWA	10 ppm	
alpha-Pinene (CAS 80-56-8)	TWA	20 ppm	
beta-Pinene (CAS 127-91-3)	TWA	20 ppm	
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapor.
Denatured alcohol SD-39c (CAS 64-17-5)	STEL	1000 ppm	
Diacetyl (CAS 431-03-8)	STEL	0.02 ppm	
	TWA	0.01 ppm	
Diethyl phthalate (CAS 84-66-2)	TWA	5 mg/m3	
Dimethyl sulfide (CAS 75-18-3)	TWA	10 ppm	
Ethyl acetate (CAS 141-78-6)	TWA	400 ppm	
Pentyl acetate (CAS 628-63-7)	STEL	100 ppm	
	TWA	50 ppm	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Acetic acid (CAS 64-19-7)	STEL	37 mg/m3 15 ppm
	TWA	25 mg/m3 10 ppm
Denatured alcohol SD-39c (CAS 64-17-5)	TWA	1900 mg/m3 1000 ppm
Diethyl phthalate (CAS 84-66-2)	TWA	5 mg/m3
Ethyl acetate (CAS 141-78-6)	TWA	1400 mg/m3 400 ppm
Pentyl acetate (CAS 628-63-7)	TWA	525 mg/m3 100 ppm

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
Benzaldehyde (CAS 100-52-7)	STEL	17.4 mg/m3 4 ppm

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
	TWA	8.7 mg/m3 2 ppm
Benzyl alcohol (CAS 100-51-6)	TWA	44.2 mg/m3 10 ppm
Vanillin (CAS 121-33-5)	TWA	10 mg/m3
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Exposure guidelines		
US ACGIH Threshold Limit Values: Skin designation		
Citral (CAS 5392-40-5)	Can be absorbed through the skin.	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Chemical respirator with organic vapor cartridge and full facepiece.	
Skin protection		
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.	
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.	

9. Physical and chemical properties

Appearance	Pale to Light Yellow
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Characteristic of name
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	26.71 °F (-2.94 °C) estimated
Initial boiling point and boiling range	566.57 °F (296.98 °C) estimated
Flash point	> 212.0 °F (> 100.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.008 hPa estimated
Vapor density	Not available.
Relative density	Not available.

Solubility(ies)	
Solubility (water)	NO
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	875.09 °F (468.39 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	9.12 lbs/gal estimated
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Refractive index	1.5496 - 1.5546
Specific gravity	1.085 - 1.125

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong acids. Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Harmful if inhaled.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Headache. Dizziness. Nausea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity	Harmful if inhaled. Harmful if swallowed. May cause an allergic skin reaction.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.

Respiratory or skin sensitization

ACGIH Sensitization	
alpha-Pinene (CAS 80-56-8)	Dermal sensitization
beta-Pinene (CAS 127-91-3)	Dermal sensitization
Citral (CAS 5392-40-5)	Dermal sensitization

Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Coumarin (CAS 91-64-5)	3 Not classifiable as to carcinogenicity to humans.
Eugenol (CAS 97-53-0)	3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Components		Species	Test Results
Diethyl phthalate (CAS 84-66-2)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	86 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	12 mg/l, 96 hours
Pentyl acetate (CAS 628-63-7)			
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	65 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Acetic acid	-0.17
alpha-Pinene	4.83
Benzaldehyde	1.48
Benzyl alcohol	1.1
Benzyl benzoate	3.97
Coumarin	1.39
Denatured alcohol SD-39c	-0.31
Diethyl phthalate	2.47
Ethyl acetate	0.73
Ethyl vanillin	1.61
Eugenol	2.27
Pentyl acetate	2.3
Piperonal	1.05
Vanillin	1.37

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate, Benzyl benzoate)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	9L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.

IMDG

UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, Benzyl benzoate)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Acetic acid (CAS 64-19-7)	Listed.
Diethyl phthalate (CAS 84-66-2)	Listed.
Ethyl acetate (CAS 141-78-6)	Listed.
Pentyl acetate (CAS 628-63-7)	Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance
Not listed.

SARA 311/312 Hazardous No
chemical

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List
Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.

Safe Drinking Water Act Not regulated.
(SDWA)

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Benzaldehyde (CAS 100-52-7)	50 %WV
Piperonal (CAS 120-57-0)	20 %WV

DEA Exempt Chemical Mixtures Code Number

Benzaldehyde (CAS 100-52-7)	8256
Piperonal (CAS 120-57-0)	8750

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)
Piperonal (CAS 120-57-0)

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Diethyl phthalate (CAS 84-66-2)

US. Massachusetts RTK - Substance List

Acetic acid (CAS 64-19-7)
alpha-Pinene (CAS 80-56-8)
Benzaldehyde (CAS 100-52-7)
Benzyl alcohol (CAS 100-51-6)
Denatured alcohol SD-39c (CAS 64-17-5)
Diacetyl (CAS 431-03-8)
Diethyl phthalate (CAS 84-66-2)
Dimethyl sulfide (CAS 75-18-3)
Ethyl acetate (CAS 141-78-6)
Pentyl acetate (CAS 628-63-7)

US. New Jersey Worker and Community Right-to-Know Act

Acetic acid (CAS 64-19-7)
alpha-Pinene (CAS 80-56-8)
Benzaldehyde (CAS 100-52-7)
Denatured alcohol SD-39c (CAS 64-17-5)
Diacetyl (CAS 431-03-8)
Diethyl phthalate (CAS 84-66-2)
Dimethyl sulfide (CAS 75-18-3)
Ethyl acetate (CAS 141-78-6)
Pentyl acetate (CAS 628-63-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Acetic acid (CAS 64-19-7)
alpha-Pinene (CAS 80-56-8)
Benzaldehyde (CAS 100-52-7)
Benzyl alcohol (CAS 100-51-6)
Denatured alcohol SD-39c (CAS 64-17-5)
Diacetyl (CAS 431-03-8)
Diethyl phthalate (CAS 84-66-2)

Dimethyl sulfide (CAS 75-18-3)

Ethyl acetate (CAS 141-78-6)

Pentyl acetate (CAS 628-63-7)

US. Rhode Island RTK

Acetic acid (CAS 64-19-7)

Diethyl phthalate (CAS 84-66-2)

Ethyl acetate (CAS 141-78-6)

Pentyl acetate (CAS 628-63-7)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes


*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-17-2016
Version #	01
HMIS® ratings	Health: 2 Flammability: 0 Physical hazard: 0 Personal protection: D
NFPA ratings	Health: 2 Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

Rustic Escentuals cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.