

ITS A BEAUTIFUL MORNING

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Date of issue: 04/10/2019 Version: 1.0



Rustic Escentuals

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : ITS A BEAUTIFUL MORNING
CAS-No. : MIXTURE

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Rustic Escentuals
1050 Canaan Road
Roebuck, SC 29376 USA
p. 864-582-9335 | f. 864-582-9334
RusticEscentuals.com

1.4. Emergency telephone number

Emergency number : INFOTRAC (US & Canada) 1-800-535-5053 | (International) 1-352-323-3500

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

| | | |
|---|------|-------------------------------------|
| Flammable liquids Category 4 | H227 | Combustible liquid |
| Skin corrosion/irritation Category 2 | H315 | Causes skin irritation |
| Serious eye damage/eye irritation Category 2 | H319 | Causes serious eye irritation |
| Skin sensitization, Category 1 | H317 | May cause an allergic skin reaction |

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Warning

Hazard statements (GHS US) :

H227 - Combustible liquid
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation

Precautionary statements (GHS US) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P272 - Contaminated work clothing must not be allowed out of the workplace
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 - If on skin: Wash with plenty of water
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P321 - Specific treatment (see supplemental first aid instruction on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P363 - Wash contaminated clothing before reuse.
P370+P378 - In case of fire: Use media other than water to extinguish.

ITS A BEAUTIFUL MORNING

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS-US classification |
|----------------------|----------------------|--------|---|
| BENZYL SALICYLATE | (CAS-No.) 118-58-1 | 5 - 10 | Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| DIHYDRO MYRCENOL | (CAS-No.) 54464-57-2 | 1 - 5 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 |
| PHENYL ETHYL ALCOHOL | (CAS-No.) 60-12-8 | 1 - 5 | Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2, H319 |
| LINALYL ACETATE | (CAS-No.) 115-95-7 | 1 - 5 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 |
| d-Limonene | (CAS-No.) 5989-27-5 | 1 - 5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 |
| Linalool | (CAS-No.) 78-70-6 | 1 - 5 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| CITRONELLOL 950 | (CAS-No.) 106-22-9 | 1 - 5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| CARYOPHELLENE BETA | (CAS-No.) 87-44-5 | 1 - 5 | Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| CINNAMIC ALCOHOL | (CAS-No.) 104-54-1 | 1 - 5 | Skin Sens. 1B, H317 |
| CYCLAMEN ALDEHYDE | (CAS-No.) 103-95-7 | 1 - 5 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1B, H317 |
| TONALID | (CAS-No.) 1506-02-1 | 1 - 5 | Acute Tox. 4 (Oral), H302 |
| D-LIMONENE | (CAS-No.) 5989-27-5 | < 0.5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

ITS A BEAUTIFUL MORNING

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CITRONELLOL 950 (106-22-9)

Not applicable

CYCLAMEN ALDEHYDE (103-95-7)

Not applicable

d-Limonene (5989-27-5)

Not applicable

D-LIMONENE (5989-27-5)

Not applicable

Linalool (78-70-6)

Not applicable

LINALYL ACETATE (115-95-7)

Not applicable

ITS A BEAUTIFUL MORNING

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| |
|---------------------------------------|
| PHENYL ETHYL ALCOHOL (60-12-8) |
| Not applicable |
| BENZYL SALICYLATE (118-58-1) |
| Not applicable |
| CARYOPHELLENE BETA (87-44-5) |
| Not applicable |
| CINNAMIC ALCOHOL (104-54-1) |
| Not applicable |
| DIHYDRO MYRCENOL (54464-57-2) |
| Not applicable |
| TONALID (1506-02-1) |
| Not applicable |

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--|
| Physical state | : Liquid |
| Color | : Mixture contains one or more component(s) which have the following colour(s): Colourless Colourless to light yellow On exposure to air: yellow Light yellow to colourless White Colourless to light amber |
| Odor | : There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Floral odour Fruity odour Sweet odour Lemon odour Mild odour Characteristic odour Pleasant odour Strong odour Aromatic odour Odourless |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : $\approx 90.9 (\geq 0) ^\circ\text{C}$ |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Not applicable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Log Pow | : No data available |

ITS A BEAUTIFUL MORNING

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|---------------------------|---------------------|
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

| | |
|-----------------------------------|--|
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |

| | |
|-------------------------------|----------------------|
| d-Limonene (5989-27-5) | |
| IARC group | 3 - Not classifiable |
| D-LIMONENE (5989-27-5) | |
| IARC group | 3 - Not classifiable |

| | |
|--|------------------|
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity – single exposure | : Not classified |

| | |
|--|------------------|
| Specific target organ toxicity – repeated exposure | : Not classified |
|--|------------------|

| | |
|-------------------------------------|--|
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Eye irritation. |

ITS A BEAUTIFUL MORNING

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

| d-Limonene (5989-27-5) | |
|-------------------------------|---|
| LC50 fish 1 | 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) |
| EC50 Daphnia 1 | 0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |

| D-LIMONENE (5989-27-5) | |
|-------------------------------|---|
| LC50 fish 1 | 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) |
| EC50 Daphnia 1 | 0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |

| Linalool (78-70-6) | |
|---------------------------|---|
| LC50 fish 1 | 27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP) |
| EC50 Daphnia 1 | 59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |
| ErC50 (algae) | 156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |

| LINALYL ACETATE (115-95-7) | |
|-----------------------------------|--|
| LC50 fish 1 | 11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio) |
| EC50 Daphnia 1 | 15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna) |

| PHENYL ETHYL ALCOHOL (60-12-8) | |
|---------------------------------------|--|
| LC50 fish 1 | 220 - 260 mg/l (96 h, Leuciscus idus) |
| EC50 Daphnia 1 | 287.17 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna) |

| BENZYL SALICYLATE (118-58-1) | |
|-------------------------------------|---|
| LC50 fish 1 | 1.03 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) |
| EC50 Daphnia 1 | 1.16 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |

12.2. Persistence and degradability

| CITRONELLOL 950 (106-22-9) | |
|-----------------------------------|-------------------------------------|
| Persistence and degradability | Readily biodegradable in water. |
| Chemical oxygen demand (COD) | 2.05 g O ₂ /g substance |
| ThOD | 2.961 g O ₂ /g substance |

| CYCLAMEN ALDEHYDE (103-95-7) | |
|-------------------------------------|---|
| Persistence and degradability | Biodegradability in water: no data available. |

| d-Limonene (5989-27-5) | |
|-------------------------------|------------------------------------|
| Persistence and degradability | Readily biodegradable in water. |
| ThOD | 3.29 g O ₂ /g substance |

| D-LIMONENE (5989-27-5) | |
|-------------------------------|------------------------------------|
| Persistence and degradability | Readily biodegradable in water. |
| ThOD | 3.29 g O ₂ /g substance |

| Linalool (78-70-6) | |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |

| LINALYL ACETATE (115-95-7) | |
|-----------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |

ITS A BEAUTIFUL MORNING

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| PHENYL ETHYL ALCOHOL (60-12-8) | |
|---------------------------------------|--|
| Persistence and degradability | Biodegradable in the soil. Readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | 1.45 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 2.5 g O ₂ /g substance |
| ThOD | 2.6 g O ₂ /g substance |
| BOD (% of ThOD) | 0.558 |

| BENZYL SALICYLATE (118-58-1) | |
|-------------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |

| DIHYDRO MYRCENOL (54464-57-2) | |
|--------------------------------------|---|
| Persistence and degradability | Biodegradability in water: no data available. |

12.3. Bioaccumulative potential

| CITRONELLOL 950 (106-22-9) | |
|-----------------------------------|-------------|
| Log Pow | 3.41 - 3.91 |

| CYCLAMEN ALDEHYDE (103-95-7) | |
|-------------------------------------|------------------------------------|
| Log Kow | ≈ 3.91 |
| Bioaccumulative potential | No bioaccumulation data available. |

| d-Limonene (5989-27-5) | |
|-------------------------------|--|
| BCF fish 1 | 864.8 - 1022 (Pisces, QSAR, Fresh weight) |
| Log Pow | 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C) |
| Bioaccumulative potential | Potential for bioaccumulation ($4 \geq \text{Log Kow} \leq 5$). |

| D-LIMONENE (5989-27-5) | |
|-------------------------------|--|
| BCF fish 1 | 864.8 - 1022 (Pisces, QSAR, Fresh weight) |
| Log Pow | 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C) |
| Bioaccumulative potential | Potential for bioaccumulation ($4 \geq \text{Log Kow} \leq 5$). |

| Linalool (78-70-6) | |
|---------------------------|---|
| Log Pow | 2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation ($\text{Log Kow} < 4$). |

| LINALYL ACETATE (115-95-7) | |
|-----------------------------------|---|
| Log Pow | 3.93 (Experimental value) |
| Bioaccumulative potential | Low potential for bioaccumulation ($\text{Log Kow} < 4$). |

| PHENYL ETHYL ALCOHOL (60-12-8) | |
|---------------------------------------|---|
| Log Pow | 1.38 (Experimental value) |
| Bioaccumulative potential | Low potential for bioaccumulation ($\text{Log Kow} < 4$). |

| BENZYL SALICYLATE (118-58-1) | |
|-------------------------------------|---|
| BCF fish 1 | 1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP) |
| Log Pow | 4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method) |
| Bioaccumulative potential | Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$). |

| DIHYDRO MYRCENOL (54464-57-2) | |
|--------------------------------------|---|
| Log Pow | 3.47 (Estimated value) |
| Bioaccumulative potential | Low potential for bioaccumulation ($\text{Log Kow} < 4$). |

ITS A BEAUTIFUL MORNING

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

| d-Limonene (5989-27-5) | |
|--------------------------------------|---|
| Ecology - soil | Adsorbs into the soil. |
| D-LIMONENE (5989-27-5) | |
| Ecology - soil | Adsorbs into the soil. |
| Linalool (78-70-6) | |
| Surface tension | 8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension) |
| Ecology - soil | No (test)data on mobility of the substance available. |
| LINALYL ACETATE (115-95-7) | |
| Ecology - soil | Adsorbs into the soil. |
| BENZYL SALICYLATE (118-58-1) | |
| Surface tension | 69 mN/m (20 °C, 0.004 g/l, EU Method A.5: Surface tension) |
| Log Koc | 3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) |
| Ecology - soil | Low potential for mobility in soil. |
| DIHYDRO MYRCENOL (54464-57-2) | |
| Ecology - soil | No (test)data on mobility of the substance available. |

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

ITS A BEAUTIFUL MORNING

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

CITRONELLOL 950 (106-22-9)

Listed on the Canadian DSL (Domestic Substances List)

CYCLAMEN ALDEHYDE (103-95-7)

Listed on the Canadian DSL (Domestic Substances List)

d-Limonene (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

D-LIMONENE (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

Linalool (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

LINALYL ACETATE (115-95-7)

Listed on the Canadian DSL (Domestic Substances List)

PHENYL ETHYL ALCOHOL (60-12-8)

Listed on the Canadian DSL (Domestic Substances List)

BENZYL SALICYLATE (118-58-1)

Listed on the Canadian DSL (Domestic Substances List)

CARYOPHELLENE BETA (87-44-5)

Listed on the Canadian DSL (Domestic Substances List)

CINNAMIC ALCOHOL (104-54-1)

Listed on the Canadian DSL (Domestic Substances List)

DIHYDRO MYRCENOL (54464-57-2)

Listed on the Canadian DSL (Domestic Substances List)

TONALID (1506-02-1)

Listed on the Canadian DSL (Domestic Substances List)


EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

 **WARNING:** This product can expose you to Myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

ITS A BEAUTIFUL MORNING

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

| | |
|------|--|
| H226 | Flammable liquid and vapour |
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H311 | Toxic in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.