



# SAFETY DATA SHEET

## 1. Identification

Product identifier	KIMONO FLOWER	
Other means of identification		
Product code	KimonoFlower	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	Rustic Escentuals	
Address	1050 Canaan Road Roebuck, SC 29376 United States	
Telephone	Main	864-582-9335
Website	RusticEscentuals.com	
E-mail	TechSupport@RusticEscentuals.com	
Emergency phone number	Infotrac (US & Canada)	1-800-535-5053
	Infotrac (International)	1-352-323-3500

## 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Warning	
Hazard statement	Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.	
Precautionary statement		
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Rinse mouth. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.	

Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	29.58% of the mixture consists of component(s) of unknown acute oral toxicity. 32.18% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 32.14% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	CAS number	%
Benzyl benzoate	120-51-4	30 - < 40*
Benzyl acetate	140-11-4	5 - < 10*
Phenethyl alcohol	60-12-8	5 - < 10*
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran	1222-05-5	3 - < 5*
2-(4-tert-butylbenzyl)propionaldehyde	80-54-6	3 - < 5*
Benzyl salicylate	118-58-1	3 - < 5*
Linalool	78-70-6	3 - < 5*
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	63500-71-0	1 - < 3*
2-tert-Butylcyclohexyl acetate	88-41-5	1 - < 3*
alpha-isoMethyl ionone	127-51-5	1 - < 3*
cis-3-Hexenyl salicylate	65405-77-8	1 - < 3*
Ethylene brassylate	105-95-3	1 - < 3*
Tangerine oil	8016-85-1	1 - < 3*
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	28219-61-6	< 1*
dl-Citronellol	106-22-9	< 1*
Hydroxycitronellal	107-75-5	< 1*
Orange sweet, Valencia oil	8008-57-9	< 1*
2-Methyl-3-(p-isopropylphenyl)propionaldehyde	103-95-7	< 0.3*
4-Methyl-3-decen-5-ol	81782-77-6	< 0.3*
Lemon Terpenes	68917-33-9	< 0.3*
alpha-Amylcinnamaldehyde	122-40-7	< 0.2*
Benzyl alcohol	100-51-6	< 0.2*
Eugenol	97-53-0	< 0.2*
Geraniol	106-24-1	< 0.2*
Geranyl acetate	105-87-3	< 0.2*
Lemon oil	8008-56-8	< 0.2*
Piperonal	120-57-0	< 0.2*
p-tert-Butyldihydrocinnamaldehyde	18127-01-0	< 0.2*
Vanillin	121-33-5	< 0.2*
alpha-Pinene	80-56-8	< 0.1*
Benzaldehyde	100-52-7	< 0.1*
Benzophenone ..	119-61-9	< 0.1*
Citral	5392-40-5	< 0.1*

Chemical name	CAS number	%
Diethyl phthalate	84-66-2	< 0.1*
Diphenyl ether	101-84-8	< 0.1*
Phenol	108-95-2	< 0.1*
Other components below reportable levels		20 - < 30

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

#### 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.  Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

## 7. Handling and storage

### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide adequate ventilation. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Diphenyl ether (CAS 101-84-8)	PEL	7 mg/m <sup>3</sup>	Vapor.
Phenol (CAS 108-95-2)	PEL	1 ppm 19 mg/m <sup>3</sup> 5 ppm	Vapor.

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
alpha-Pinene (CAS 80-56-8)	TWA	20 ppm	
Benzyl acetate (CAS 140-11-4)	TWA	10 ppm	
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapor.
Diethyl phthalate (CAS 84-66-2)	TWA	5 mg/m <sup>3</sup>	
Diphenyl ether (CAS 101-84-8)	STEL	2 ppm	Vapor.
Phenol (CAS 108-95-2)	TWA	1 ppm 5 ppm	Vapor.

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Diethyl phthalate (CAS 84-66-2)	TWA	5 mg/m <sup>3</sup>	
Diphenyl ether (CAS 101-84-8)	TWA	7 mg/m <sup>3</sup>	Vapor.
Phenol (CAS 108-95-2)	Ceiling	1 ppm 60 mg/m <sup>3</sup> 15.6 ppm	Vapor.
	TWA	19 mg/m <sup>3</sup> 5 ppm	

#### US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
Benzaldehyde (CAS 100-52-7)	STEL	17.4 mg/m <sup>3</sup>
	TWA	4 ppm 8.7 mg/m <sup>3</sup> 2 ppm
Benzophenone .. (CAS 119-61-9)	TWA	0.5 mg/m <sup>3</sup>
Benzyl alcohol (CAS 100-51-6)	TWA	44.2 mg/m <sup>3</sup>
Vanillin (CAS 121-33-5)	TWA	10 ppm 10 mg/m <sup>3</sup>

## Biological limit values

### ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Phenol (CAS 108-95-2)	250 mg/g	Phenol with hydrolysis	Creatinine in urine	*

\* - For sampling details, please see the source document.

## Exposure guidelines

US - California OELs: Skin designation

Phenol (CAS 108-95-2)

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Phenol (CAS 108-95-2)

Skin designation applies.

US - Tennessee OELs: Skin designation

Phenol (CAS 108-95-2)

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Citral (CAS 5392-40-5)

Can be absorbed through the skin.

Phenol (CAS 108-95-2)

Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Phenol (CAS 108-95-2)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Phenol (CAS 108-95-2)

Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

Appearance

Medium to Golden Yellow

Physical state

Liquid.

Form

Liquid.

Color

Not available.

Odor

Characteristic of Name

Odor threshold

Not available.

pH

Not available.

Melting point/freezing point

45.45 °F (7.47 °C) estimated

Initial boiling point and boiling range

569.87 °F (298.82 °C) estimated

Flash point

208.9 °F (98.3 °C)

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.03 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	NO
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	891.4 °F (477.45 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	8.81 lbs/gal estimated
Explosive properties	Not explosive.
Hydrocarbons percent	Not determined.
Oxidizing properties	Not oxidizing.
Refractive index	1.514 - 1.519
Specific gravity	1.009 - 1.049
VOC (Weight %)	Not determined.

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics  
 Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

### Information on toxicological effects

Acute toxicity	Harmful if swallowed. May cause an allergic skin reaction.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.

### Respiratory or skin sensitization

ACGIH Sensitization	
alpha-Pinene (CAS 80-56-8)	Dermal sensitization
Citral (CAS 5392-40-5)	Dermal sensitization
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	May cause an allergic skin reaction.

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Benzophenone .. (CAS 119-61-9)	2B Possibly carcinogenic to humans.
Benzyl acetate (CAS 140-11-4)	3 Not classifiable as to carcinogenicity to humans.
Eugenol (CAS 97-53-0)	3 Not classifiable as to carcinogenicity to humans.
Phenol (CAS 108-95-2)	3 Not classifiable as to carcinogenicity to humans.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Not listed.	
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

## 12. Ecological information

Ecotoxicity	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.		
Components	Species	Test Results	
2-(4-tert-butylbenzyl)propionaldehyde (CAS 80-54-6)			
2-Methyl-3-(p-isopropylphenyl)propionaldehyde (CAS 103-95-7)			
Diphenyl ether (CAS 101-84-8)			
Aquatic			
Fish	LC50	Sheepshead minnow (Cyprinodon variegatus)	1.8 - 3.2 mg/l, 96 hours
Hydroxycitronellal (CAS 107-75-5)			
Lemon oil (CAS 8008-56-8)			

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

### Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)	
alpha-Pinene	4.83
Benzaldehyde	1.48
Benzyl acetate	1.96
Benzyl alcohol	1.1
Benzyl benzoate	3.97
Diethyl phthalate	2.47
Diphenyl ether	4.21
Eugenol	2.27
Linalool	2.97
Phenethyl alcohol	1.36
Phenol	1.46
Piperonal	1.05
Vanillin	1.37

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
ERG Code	9L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.


### IMDG

UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.

IATA; IMDG







General information IMDG Regulated Marine Pollutant.

## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Benzophenone .. (CAS 119-61-9) 0.1 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

Diethyl phthalate (CAS 84-66-2) Listed.

Phenol (CAS 108-95-2) Listed.

SARA 304 Emergency release notification

Phenol (CAS 108-95-2) 1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Phenol	108-95-2	1000		500 lbs	10000 lbs

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)  
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Phenol (CAS 108-95-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Benzaldehyde (CAS 100-52-7) 50 %WV

Piperonal (CAS 120-57-0) 20 %WV

DEA Exempt Chemical Mixtures Code Number

Benzaldehyde (CAS 100-52-7) 8256

Piperonal (CAS 120-57-0) 8750

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Piperonal (CAS 120-57-0)

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Benzophenone .. (CAS 119-61-9)  
Diethyl phthalate (CAS 84-66-2)  
Phenol (CAS 108-95-2)

US. Massachusetts RTK - Substance List

alpha-Pinene (CAS 80-56-8)  
Benzaldehyde (CAS 100-52-7)  
Benzyl alcohol (CAS 100-51-6)  
Diethyl phthalate (CAS 84-66-2)  
Diphenyl ether (CAS 101-84-8)  
Phenol (CAS 108-95-2)

US. New Jersey Worker and Community Right-to-Know Act

alpha-Pinene (CAS 80-56-8)  
Benzaldehyde (CAS 100-52-7)  
Benzyl acetate (CAS 140-11-4)  
Diethyl phthalate (CAS 84-66-2)  
Diphenyl ether (CAS 101-84-8)  
Phenol (CAS 108-95-2)

US. Pennsylvania Worker and Community Right-to-Know Law

alpha-Pinene (CAS 80-56-8)  
Benzaldehyde (CAS 100-52-7)  
Benzyl alcohol (CAS 100-51-6)  
Diethyl phthalate (CAS 84-66-2)  
Diphenyl ether (CAS 101-84-8)  
Phenol (CAS 108-95-2)

US. Rhode Island RTK

Diethyl phthalate (CAS 84-66-2)  
Phenol (CAS 108-95-2)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Benzophenone .. (CAS 119-61-9) Listed: June 22, 2012

#### International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

Issue date 08-11-2016  
Version # 01  
HMIS® ratings Health: 2\*  
Flammability: 0  
Physical hazard: 0  
Personal protection: B  
NFPA ratings Health: 2  
Flammability: 0  
Instability: 0

NFPA ratings



Disclaimer

Rustic Escentuals cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.