



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Malibu Heat type**
SKU#: **MalibuHeat**

Page 1 of 7
2017-08-07

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Malibu Heat type

Product/Sales No: MalibuHeat

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Rustic Escentuals
1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
<http://www.rusticescentuals.com>

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 4	H302: Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	10 : May be harmful if absorbed through the skin. 12 : Causes moderate skin irritation. 15 : May cause eye irritation.
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver. 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Product: **Malibu Heat type**
 SKU#: **MalibuHeat**



Signal Word: Warning

Hazard statements

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	50 - 60 %	H302; H313; H400; H411	28, 3
54464-57-2 <i>Tetramethyl Acetyloctahydronaphthalenes</i>	259-174-3	10 - 20 %	H315; H317; H400; H410	11, 31
101-86-0 <i>Hexyl cinnamaldehyde</i>	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Malibu Heat type**
SKU#: **MalibuHeat**

Page 3 of 7
2017-08-07

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
1222-05-5 <i>Hexamethylindanopyran</i>	214-946-9	2 - 5 %	H316; H400; H410	11, 15
105-95-3 <i>Ethylene brassylate</i>	203-347-8	2 - 5 %	H401	11, 15
78-70-6 <i>Linalool</i>	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402	12, 26
24851-98-7 <i>Methylidihydrojasmonate</i>	246-495-9	2 - 5 %	H402	
104-61-0 <i>gamma-Nonalactone</i>	203-219-1	1 - 2 %	H316	12, 15
2705-87-5 <i>Allyl cyclohexylpropionate</i>	220-292-5	1 - 2 %	H302; H312; H317; H332; H400; H410	10, 12, 15, 3
8008-57-9 <i>Citrus aurantium dulcis (Orange) oil</i>	232-433-8	1 - 2 %	H226; H304; H315; H400; H410	12, 3, 31
10339-55-6 <i>3,7-Dimethyl-1,6-nonadien-3-ol</i>	233-732-6	1 - 2 %	H227; H303; H315; H319; H402	11, 15
121-33-5 <i>Vanillin</i>	204-465-2	1 - 2 %	H303; H319	31
1205-17-0 <i>a-Methyl-1,3-benzodioxole-5-propionaldehyde</i>	214-881-6	1 - 2 %	H303; H317; H401; H411	
65405-77-8 <i>cis-3-Hexenyl salicylate</i>	265-745-8	1 - 2 %	H400; H410	11, 15
127-51-5 <i>a-Isomethyl ionone</i>	204-846-3	0.1 - 1.0 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31
6259-76-3 <i>Hexyl salicylate</i>	228-408-6	0.1 - 1.0 %	H315; H317; H319; H400; H410	11, 15
68647-72-3 <i>Limonene</i>	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31
58567-11-6 <i>Formaldehyde cyclododecyl ethyl acetal</i>	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411	12
106-22-9 <i>Citronellol</i>	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	11, 15
18127-01-0 <i>p-tert-Butyldihydrocinnamaldehyde</i>	242-016-2	0.1 - 1.0 %	H227; H303; H315; H317; H361; H373; H401; H412	11, 15, 2, 31, 39

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 2.64

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:

Remove from exposure site to fresh air and keep at rest.
Obtain medical advice.

Eye Exposure:

Flush immediately with water for at least 15 minutes.
Contact physician if symptoms persist.



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Malibu Heat type**
SKU#: **MalibuHeat**

Page 4 of 7
2017-08-07

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam

Unsuitable: Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Malibu Heat type**
SKU#: **MalibuHeat**

Page 5 of 7
2017-08-07

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard
Odor: Conforms to Standard
Color: Colorless to Pale Yellow
Viscosity: Liquid
Freezing Point: Not determined
Boiling Point: Not determined
Melting Point: Not determined
Flashpoint (CCCFP): >200 F (93.33 C)
Auto flammability: Not determined
Explosive Properties: None Expected
Oxidizing properties: None Expected
Vapor Pressure (mmHg@20 C): 0.0597
%VOC: 4.9615
Specific Gravity @ 25 C: 1.0370
Density @ 25 C: 1.0340
Refractive Index @ 20 C: 1.5300
Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None
10.2 Chemical stability Stable
10.3 Possibility of hazardous reactions None known
10.4 Conditions to avoid None known
10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products None known



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Malibu Heat type**
SKU#: **MalibuHeat**

Page 6 of 7
2017-08-07

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1,951.47) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3,925.98) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 51.01) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Very Toxic to aquatic life
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated	-	Not Dangerous Goods	



1050 Canaan Road
 Roebuck, SC 29376 USA
 P:864-582-9335 F:864-582-9334
 www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Malibu Heat type**
 SKU#: **MalibuHeat**

Page 7 of 7
 2017-08-07

Chemicals NOI

ADR/RID (International Road/Rail)

Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
---	------------	---	-----	--------

IATA (Air Cargo)

Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
---	------------	---	-----	--------

IMDG (Sea)

Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
---	------------	---	-----	--------

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning This product contains the following components:
 123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk	(TFV) Risk
(1.88) Skin Corrosion/Irritation, Category 2	(10.00) Sensitization, Skin, Category 1B
(3.15) Aquatic Acute Toxicity, Category 1	(10.74) Aquatic Chronic Toxicity, Category 2

Department issuing data sheet: Technical Support
Department E-mail address: TechSupport@RusticEscentuals.com

Remarks

This safety data sheet is based on the properties of the material known to Rustic Escentuals at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Rustic Escentuals holds no responsibility. This document is not intended for quality assurance purposes.