SAFETY DATA SHEET



1. Identification

Product identifier Mulberry, Home Interiors type

Other means of identification

Product code MulberryHIKY
Recommended use Not available.
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Rustic Escentuals
Address 1050 Canaan Road
Roebuck, SC 29376

United States

Telephone Main 864-582-9335

Toll free 864-582-9334

Website RusticEscentuals.com

E-mail TechSupport@RusticEscentuals.com

Emergency phone number Infotrac (US & Canada) 1-800-535-5053

Infotrac (International) 1-352-323-3500

2. Hazard(s) identification

Physical hazards Flammable liquids Category 3
Health hazards Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1
Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Flammable liquid and vapor. Causes skin irritation. May cause an allergic skin reaction. Causes

serious eye irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Category 3

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Wash thoroughly after

handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves/eye protection/face

protection.

Response If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before

reuse. In case of fire: Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep cool.

Disposal

Hazard(s) not otherwise

Dispose of contents/container in accordance with local/regional/national/international regulations.

classified (HNOC)

None known.

Supplemental information

34.76% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 45.5% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Diethyl phthalate	84-66-2	10 - < 20*
Ethyl methylphenylglycidate	77-83-8	5 - < 10*
Linalool	78-70-6	5 - < 10*
Phenethyl alcohol	60-12-8	5 - < 10*
Benzyl acetate	140-11-4	3 - < 5*
Ethyl butyrate	105-54-4	3 - < 5*
beta-lonone	14901-07-6	1 - < 3*
Ethyl lactate	97-64-3	1 - < 3*
gamma-Undecalactone	104-67-6	1 - < 3*
Methyl dihydrojasmonate	24851-98-7	1 - < 3*
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-h examethylcyclopenta-gamma-2-ben zopyran	1222-05-5	< 1*
alpha-Amylcinnamaldehyde	122-40-7	< 1*
alpha-isoMethyl ionone	127-51-5	< 1*
Ethyl acetate	141-78-6	< 1*
Methyl 2-nonynoate	111-80-8	< 1*
Orange sweet, Valencia oil	8008-57-9	< 1*
Butylated hydroxytoluene	128-37-0	< 0.2*
Other components below reportable levels		40 - < 50

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water

immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Material name: Mulberry, Home Interiors type MulberryHIKY Version #: 01 Issue date: 10-13-2016

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods General fire hazards Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Flammable liquid and vapor.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage. including any incompatibilities Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Conta Components	aminants (29 CFR 1910.1000) Type	Value	
Ethyl acetate (CAS 141-78-6)	PEL	1400 mg/m3	
		400 ppm	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
Benzyl acetate (CAS 140-11-4)	TWA	10 ppm	
Butylated hydroxytoluene (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapor.
Diethyl phthalate (CAS 84-66-2)	TWA	5 mg/m3	·

supervisory personnel of all environmental releases.

US. ACGIH Threshold Limit Values				
Components	Туре	Value	Form	
Ethyl acetate (CAS 141-78-6)	TWA	400 ppm		
US. NIOSH: Pocket Guide to Chem	nical Hazards			
Components	Туре	Value		
Butylated hydroxytoluene (CAS 128-37-0)	TWA	10 mg/m3		
Diethyl phthalate (CAS 84-66-2)	TWA	5 mg/m3		
Ethyl acetate (CAS 141-78-6)	TWA	1400 mg/m3		
,		400 ppm		

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not

be allowed out of the workplace.

9. Physical and chemical properties

Appearance Near Colorless to Light Yellow

Physical state Liquid.
Form Liquid.

Color Not available.

Odor Characteristic of Name

Odor threshold Not available. pH Not available.

Melting point/freezing point -63.98 °F (-53.32 °C) estimated Initial boiling point and boiling 487.73 °F (253.19 °C) estimated

range

Flash point 132.1 °F (55.6 °C)
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

0.034 hPa estimated Vapor pressure

Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) NO

Not available. Partition coefficient

(n-octanol/water)

757.84 °F (403.24 °C) estimated Auto-ignition temperature

Not available. Decomposition temperature Not available. Viscosity

Other information

Density 8.19 lbs/gal estimated

Explosive properties Not explosive. Not determined. Hydrocarbons percent Oxidizing properties Not oxidizing. Refractive index 1.4621 - 1.4671 Specific gravity 0.951 - 0.991VOC (Weight %) Not determined.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong acids. Strong oxidizing agents.

Hazardous decomposition No hazardous decomposition products are known.

products

Toxicological information

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Causes skin irritation. May cause an allergic skin reaction. Skin contact

Eve contact Causes serious eye irritation.

Expected to be a low ingestion hazard. Ingestion

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred Symptoms related to the vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. physical, chemical and Dermatitis. Rash.

toxicological characteristics

Information on toxicological effects

May cause an allergic skin reaction. Acute toxicity

Causes skin irritation. Skin corrosion/irritation

Causes serious eye irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Not a respiratory sensitizer. Respiratory sensitization

Skin sensitization May cause an allergic skin reaction.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Benzyl acetate (CAS 140-11-4) 3 Not classifiable as to carcinogenicity to humans.

Butylated hydroxytoluene (CAS 128-37-0) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Benzyl acetate 1.96
Diethyl phthalate 2.47
Ethyl acetate 0.73
Ethyl butyrate 1.73
Linalool 2.97
Phenethyl alcohol 1.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN1169

UN proper shipping name Extracts, aromatic, liquid

Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
Packing group III

Special precautions for user

Special provisions

for user Read safety instructions, SDS and emergency procedures before handling.

B1, IB3, T2, TP1

Packaging exceptions 150
Packaging non bulk 203
Packaging bulk 242

IATA

UN number UN1169

UN proper shipping name Extracts, aromatic, liquid

Transport hazard class(es)

Class 3

Material name: Mulberry, Home Interiors type
MulberryHIKY Version #: 01 Issue date: 10-13-2016

tracis, aromatic, liquid

Subsidiary risk Packing group III
Environmental hazards No.
ERG Code 3L

Special precautions for user

Other information

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed.

Cargo aircraft only

Allowed.

UN1169

EXTRACTS, AROMATIC, LIQUID

IMDG

UN number

UN proper shipping name Transport hazard class(es)

Class 3
Subsidiary risk Packing group III

Environmental hazards

Marine pollutant No. EmS F-E, S-D

Special precautions for user Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Read safety instructions, SDS and emergency procedures before handling.

Not established.

DOT



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Diethyl phthalate (CAS 84-66-2) Listed. Ethyl acetate (CAS 141-78-6) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Diethyl phthalate (CAS 84-66-2)

US. Massachusetts RTK - Substance List

Butylated hydroxytoluene (CAS 128-37-0)

Diethyl phthalate (CAS 84-66-2) Ethyl acetate (CAS 141-78-6) Ethyl butyrate (CAS 105-54-4) Ethyl lactate (CAS 97-64-3)

US. New Jersey Worker and Community Right-to-Know Act

Benzyl acetate (CAS 140-11-4)

Butylated hydroxytoluene (CAS 128-37-0)

Diethyl phthalate (CAS 84-66-2) Ethyl acetate (CAS 141-78-6) Ethyl butyrate (CAS 105-54-4) Ethyl lactate (CAS 97-64-3)

US. Pennsylvania Worker and Community Right-to-Know Law

Butylated hydroxytoluene (CAS 128-37-0)

Diethyl phthalate (CAS 84-66-2) Ethyl acetate (CAS 141-78-6) Ethyl butyrate (CAS 105-54-4) Ethyl lactate (CAS 97-64-3)

US. Rhode Island RTK

Diethyl phthalate (CAS 84-66-2) Ethyl acetate (CAS 141-78-6)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

Country(s) or region Inventory name On inventory or exempt (yes/no)*

Japan Inventory of Existing and New Chemical Substances (ENCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 10-13-2016

Version # 01

HMIS® ratings Health: 2 Flammability: 1

Physical hazard: 0
Personal protection: B

NFPA ratings Health: 2

Flammability: 1 Instability: 0

NFPA ratings



Disclaimer

Rustic Escentuals cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: Mulberry, Home Interiors type
MulberryHIKY Version #: 01 Issue date: 10-13-2016