



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Patchouli Oud Wood**
SKU#: **PatchouliOudW**

Page 1 of 8
2017-08-07

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Patchouli Oud Wood

Product/Sales No: PatchouliOudW

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Rustic Escentuals
1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
<http://www.rusticescentuals.com>

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Carcinogenicity, Category 1B	H350: May cause cancer
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes moderate skin irritation. 15 : May cause eye irritation. 9 : Harmful if absorbed through the skin.
Acute Inhalation	25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia.
Acute Oral	2 : Harmful if swallowed 4 : Harmful if swallowed, can enter lungs and cause damage
Genotoxicity	36 : Suspected of causing genetic defects
Reproductive/Developmental	39 : Causes reproductive/developmental toxicity in animals.
Sensitization/Allergic Response	31 : May cause allergic skin reaction.

Product: **Patchouli Oud Wood**
 SKU#: **PatchouliOudW**

Target Organ Effects

26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen, blood, stomach, brain, bile duct, tongue, mucous membranes, musculo-skeletal system.

Carcinogenicity

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
 This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Danger

Hazard statements

- | | |
|------|---|
| H227 | Combustible liquid |
| H303 | May be harmful if swallowed |
| H313 | May be harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H333 | May be harmful if inhaled |
| H350 | May cause cancer |
| H400 | Very Toxic to aquatic life |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

Prevention:

- | | |
|------|--|
| P201 | Obtain special instructions before use |
| P202 | Do not handle until all safety precautions have been read and understood |
| P235 | Keep cool |
| P264 | Wash hands thoroughly after handling |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment |
| P281 | Use personal protective equipment as required |

Response:

- | | |
|--------------------|---|
| P302 + P352 | IF ON SKIN: Wash with soap and water |
| P304 + P312 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing |
| P308 + P313 | IF exposed or concerned: Get medical advice/attention |
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell |
| P333 + P313 | If skin irritation or a rash occurs: Get medical advice/attention |
| P337 + P313 | If eye irritation persists: Get medical advice/attention |
| P362 | Take off contaminated clothing and wash before reuse |
| P363 | Wash contaminated clothing before reuse |



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Patchouli Oud Wood**
SKU#: **PatchouliOudW**

Page 3 of 8
2017-08-07

P370 + P378

In case of fire: Use Carbon dioxide (CO₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

P391

Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
107-41-5 <i>2-Methyl-2,4-pentandiol</i>	203-489-0	30 - 40 %	H319	11, 15
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	20 - 30 %	H302; H313; H400; H411	28, 3
125-12-2 <i>Isobornyl acetate</i>	204-727-6	5 - 10 %	H227; H316; H401	11, 15
78-70-6 <i>Linalool</i>	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402	12, 26
32210-23-4 <i>4-tert-Butylcyclohexyl acetate</i>	250-954-9	2 - 5 %	H303; H317; H401	11, 15
54464-57-2 <i>Tetramethyl Acetyloctahydronaphthalenes</i>	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31
68647-72-3 <i>Limonene</i>	232-433-8	1 - 2 %	H226; H304; H315; H317; H400; H410	12, 3, 31
140-11-4 <i>Benzyl acetate</i>	205-399-7	1 - 2 %	H303; H316; H401; H412	15, 25, 26, 31, 39
8000-34-8 <i>Eugenia caryophyllus (Clove) leaf oil</i>	284-638-7	1 - 2 %	H303; H304; H313; H316; H319; H401	12, 31, 36, 4
91-64-5 <i>Coumarin</i>	202-086-7	1 - 2 %	H302; H317; H402	12, 15, 2, 26, 31, 9
139504-68-0 <i>1-(2-Butyl cyclohexyloxy)-2-butanol</i>	412-300-2	1 - 2 %	H320; H401; H411	
119-61-9 <i>Benzophenone</i>	204-337-6	0.1 - 1.0 %		
708008-31-9 <i>Citrus nobilis (Mandarin Orange) peel oil</i>	284-521-0	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31
104-55-2 <i>Cinnamal</i>	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401	10, 12, 16, 26, 31, 36
8015-91-6 <i>Oil Cinnamon Leaf Ceylon</i>	283-479-0	0.1 - 1.0 %	H227; H303; H313; H316; H319; H341; H350; H401; H412	11, 15, 31



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Patchouli Oud Wood**
SKU#: **PatchouliOudW**

Page 4 of 8
2017-08-07

CAS#	EC#	Conc. Range	GHS Classification	OSHA Classification
81-14-1	201-328-9	0.1 - 1.0 %	H316; H351; H400; H410	11, 15

Musk ketone

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 4.46

4. First Aid Measures

4.1 Description of first aid measures

- Inhalation:** Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
- Eye Exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms:** no data available
- Risks:** Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment:** Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

- Suitable:** Carbon dioxide (CO₂), Dry chemical, Foam
- Unsuitable:** Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

- During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

- Further information:** Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Patchouli Oud Wood**
SKU#: **PatchouliOudW**

Page 5 of 8
2017-08-07

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component	ACGIH	ACGIH	OSHA	OSHA
	TWA ppm	STEL ppm	TWA ppm	STEL ppm
140-11-4 <i>Benzyl acetate</i>			10	

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Pale Yellow to Yellow
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	180 F (82.22 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0835
%VOC:	6.0909
Specific Gravity @ 25 C:	0.9820



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Patchouli Oud Wood**
SKU#: **PatchouliOudW**

Page 6 of 8
2017-08-07

Density @ 25 C: 0.9790
Refractive Index @ 20 C: 1.4820
Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None
10.2 Chemical stability Stable
10.3 Possibility of hazardous reactions None known
10.4 Conditions to avoid None known
10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2,487.56) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,079.76) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 37.51) May be harmful if inhaled
Skin corrosion / irritation Causes skin irritation
Serious eye damage / irritation Causes serious eye irritation
Respiratory sensitization Not classified - the classification criteria are not met
Skin sensitization May cause an allergic skin reaction
Germ cell mutagenicity Not classified - the classification criteria are not met
Carcinogenicity May cause cancer
Reproductive toxicity Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met
Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life
Chronic aquatic toxicity Toxic to aquatic life with long lasting effects
Toxicity Data on soil no data available
Toxicity on other organisms no data available

12.2 Persistence and degradability no data available
12.3 Bioaccumulative potential no data available



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Patchouli Oud Wood**
SKU#: **PatchouliOudW**

Page 7 of 8
2017-08-07

12.4 Mobility in soil no data available
12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail) Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
IATA (Air Cargo) Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
IMDG (Sea) Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning This product contains the following components:

94-59-7	202-345-4	<= 51 ppm	Safrole (NFS)
(NFS) 19-81-9	204-337-6	0.1 - 1.0 %	Benzophenone
93-15-2	202-223-0	<= 23 ppm	Methyl Eugenol (NFS)
(NFS) 23-35-3(NF)	204-622-5	0.01 - 0.1%	beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Patchouli Oud Wood**
SKU#: **PatchouliOudW**

Page 8 of 8
2017-08-07

(TFV) Risk	(TFV) Risk
(1.31) Skin Corrosion/Irritation, Category 2	(6.00) Sensitization, Skin, Category 1A
(5.03) Eye Damage/Eye Irritation, Category 2A	(3.00) Carcinogenicity, Category 1B
(1.46) Aquatic Acute Toxicity, Category 1	(4.23) Aquatic Chronic Toxicity, Category 2

Department issuing data sheet: Technical Support
Department E-mail address: TechSupport@RusticEscentuals.com

Remarks

This safety data sheet is based on the properties of the material known to Rustic Escentuals at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Rustic Escentuals holds no responsibility. This document is not intended for quality assurance purposes.