



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Sea Salt and Yuzu**
SKU#: **SeaSaltYuzu**

Page 1 of 8
2017-08-07

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Sea Salt and Yuzu

Product/Sales No: SeaSaltYuzu

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Rustic Escentuals
1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
<http://www.rusticescentuals.com>

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Reproductive Toxicology, Category 2	H361: Suspected of damaging fertility or the unborn child
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	12 : Causes moderate skin irritation. 15 : May cause eye irritation. 19 : May cause photo-induced skin irritation.
Acute Inhalation	23 : May cause respiratory tract irritation. 25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia.
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
Reproductive/Developmental	39 : Causes reproductive/developmental toxicity in animals.
Sensitization/Allergic Response	31 : May cause allergic skin reaction.

Product: **Sea Salt and Yuzu**
SKU#: **SeaSaltYuzu**

Page 2 of 8
2017-08-07

Target Organ Effects

26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal glands, liver, spleen, bone marrow, stomach, brain, thyroid, tongue, mucous membranes, musculo-skeletal system, male reproductive system.

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver, bone marrow, skin, testes

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Danger

Hazard statements

H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse



1050 Canaan Road
 Roebuck, SC 29376 USA
 P:864-582-9335 F:864-582-9334
 www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Sea Salt and Yuzu**
 SKU#: **SeaSaltYuzu**

Page 3 of 8
 2017-08-07

P363
 P391

Wash contaminated clothing before reuse
 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
140-11-4 <i>Benzyl acetate</i>	205-399-7	10 - 20 %	H303; H316; H401; H412	15, 25, 26, 31, 39
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	10 - 20 %	H302; H313; H400; H411	28, 3
80-54-6 <i>Butylphenyl Methylpropional</i>	201-289-8	10 - 20 %	H227; H302; H315; H317; H361; H401; H411	11, 15, 26, 28, 3, 31, 39
78-70-6 <i>Linalool</i>	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402	12, 26
60-12-8 <i>phenethyl alcohol</i>	200-456-2	5 - 10 %	H302; H313; H316; H319	11, 15, 3
101-86-0 <i>Hexyl cinnamaldehyde</i>	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15
8008-57-9 <i>Citrus aurantium dulcis (Orange) oil</i>	232-433-8	2 - 5 %	H226; H304; H315; H400; H410	12, 3, 31
98-55-5 <i>alpha-Terpineol</i>	202-680-6	2 - 5 %	H227; H303; H315; H319; H401	11, 15, 23
68917-32-8 <i>Grapefruit oil terpenes</i>	289-904-6	2 - 5 %	H226; H304; H315; H317; H400; H410	12, 3, 31
68647-72-3 <i>Limonene</i>	232-433-8	2 - 5 %	H226; H304; H315; H317; H400; H410	12, 3, 31
2050-08-0 <i>Amyl salicylate</i>	218-080-2	2 - 5 %	H302; H400; H410	
93-92-5 <i>methylbenzyl acetate</i>	202-288-5	2 - 5 %	H227; H402	
68737-61-1 <i>Dimethyltetrahydro Benzaldehyde</i>	272-113-5	1 - 2 %	H227; H303; H313; H315; H317; H401; H411	12, 15, 31
68912-13-0 <i>Hexahydro-methanoindenyl Propionate</i>	272-805-7	1 - 2 %	H316; H401; H411	11, 15
54830-99-8 <i>Acetoxydihydrodicyclopentadiene</i>	259-367-2	1 - 2 %	H303; H316; H402	
8050-15-5 <i>Methyl ester of rosin (partially hydrogenated)</i>	232-476-2	1 - 2 %	H402; H412	31



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Sea Salt and Yuzu**
SKU#: **SeaSaltYuzu**

Page 4 of 8
2017-08-07

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
106-24-1 <i>Geraniol</i>	203-377-1	1 - 2 %	H303; H315; H317; H318; H402	11, 15, 31
18479-58-8 <i>2,6-dimethyloct-7-en-2-ol</i>	242-362-4	1 - 2 %	H227; H303; H315; H319; H402	11, 15
127-51-5 <i>a-Isomethyl ionone</i>	204-846-3	1 - 2 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31
8016-20-4 <i>Citrus grandis peel oil</i>	289-904-6	1 - 2 %	H226; H304; H315; H317; H400; H410	12, 3, 31
10094-34-5 <i>a, a-Dimethylphenethyl butyrate</i>	233-221-8	1 - 2 %	H401; H411	11, 15
1335-66-6 <i>IsoCycloCitral</i>	215-638-7	1 - 2 %	H227; H303; H317; H319; H401; H412	
115-95-7 <i>Linalyl acetate</i>	204-116-4	1 - 2 %	H227; H315; H319; H402	
54464-57-2 <i>Tetramethyl Acetyloctahydronaphthalenes</i>	259-174-3	0.1 - 1.0 %	H315; H317; H400; H410	11, 31
106-25-2 <i>Nerol</i>	203-378-7	0.1 - 1.0 %	H303; H315; H317; H318; H401	15
104-54-1 <i>Cinnamyl Alcohol</i>	203-212-3	0.1 - 1.0 %	H303; H317	11, 15, 31
5989-27-5 <i>Limonene</i>	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	11, 15, 23
127-91-3 <i>β-Pinene</i>	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	11, 15, 24, 25, 31
122-78-1 <i>Phenylacetaldehyde</i>	204-574-5	0.1 - 1.0 %	H227; H302; H313; H314; H317	31

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 13.46

4. First Aid Measures

4.1 Description of first aid measures

- Inhalation:** Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
- Eye Exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms:** no data available
- Risks:** Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Sea Salt and Yuzu**
SKU#: **SeaSaltYuzu**

Page 5 of 8
2017-08-07

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam

Unsuitable: Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4 <i>Benzyl acetate</i>			10	
127-91-3 <i>β-Pinene</i>			20	

Engineering Controls: Use local exhaust as needed.



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Sea Salt and Yuzu**
SKU#: **SeaSaltYuzu**

Page 6 of 8
2017-08-07

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Yellow to Greenish Yellow (G5-7)

Viscosity: Liquid

Freezing Point: Not determined

Boiling Point: Not determined

Melting Point: Not determined

Flashpoint (CCCFP): >200 F (93.33 C)

Auto flammability: Not determined

Explosive Properties: None Expected

Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.153

%VOC: 30.2013

Specific Gravity @ 25 C: 0.9610

Density @ 25 C: 0.9580

Refractive Index @ 20 C: 1.4980

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known

10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2,634.95) May be harmful if swallowed



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

Product: **Sea Salt and Yuzu**
SKU#: **SeaSaltYuzu**

Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3,278.76) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 28.37) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Very Toxic to aquatic life
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail) Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				



1050 Canaan Road
Roebuck, SC 29376 USA
P:864-582-9335 F:864-582-9334
www.RusticEscentuals.com

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Sea Salt and Yuzu**
SKU#: **SeaSaltYuzu**

Page 8 of 8
2017-08-07

Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
IMDG (Sea)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning This product contains the following components:
123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk	(TFV) Risk
(1.37) Aspiration Hazard, Category 1	(4.55) Skin Corrosion/Irritation, Category 2
(10.00) Sensitization, Skin, Category 1B	(4.94) Eye Damage/Eye Irritation, Category 2A
(3.33) Reproductive Toxicology, Category 2	(1.39) Aquatic Acute Toxicity, Category 1
(8.27) Aquatic Chronic Toxicity, Category 2	

Department issuing data sheet: Technical Support

Department E-mail address: TechSupport@RusticEscentuals.com

Remarks

This safety data sheet is based on the properties of the material known to Rustic Escentuals at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Rustic Escentuals holds no responsibility. This document is not intended for quality assurance purposes.